EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/824662	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 14:23
S2	997	@ad<"20040414" and ((laptop notebook) with (docking adj station))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:54
S3	31	S2 and sony	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 14:32
S4	4	\$2 and (disconnect\$3 with LAN) same (switch\$3 wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:11
S5	2	(US-20040148445-\$).did. or (US-20020038400-\$). did.	US-PGPUB; DERWENT	OR	ON	2006/10/19 16:11
S8	3	@ad<"20040414" and 455/74.1.ccls. and (cellular same docking same wired)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:14
S9	997	@ad<"20040414" and ((laptop notebook) with (docking adj station))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:17
S10	145	S9 and cellular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:17
S11	10	S9 and (cellular with interface with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:18

S12	6	(("20020194353") or ("20040258051") or ("20040235483")).PN.	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 14:31
S13	825	@ad<"20040414" and ("455"/\$ "370"/\$ "379"/\$). ccls. and ((docking adj station) dock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:50
S14	55	S13 and (switch\$3 with wired)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 14:56
S15	2	(*20020038400*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/04 15:23
S16	0	@ad<"20040414" and ((((laptop notebook) with wireless with wired) and (maintain\$3 with session with switch\$3)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:51
S17	46	@ad<"20040414" and (((laptop notebook) with switch\$3 with wireless with wired)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:11
S18	4	S17 and ((continu\$3 maintain\$3) with session)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:52
S19	0	@ad<"20040414" and (((maintain\$3 continu\$3) with session with (id identification indicia)) same (switch\$3 with wired with wireless))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:10
\$20	0	S17 and (associat\$3 with (id identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:09
S21	534	@ad<"20040414" and (((maintain\$3 continu\$3) with session with (id identification indicia)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/04/04 17:20

S23	86	\$21 and (laptop notebook)	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:21
S24	8	S23 and (switch\$3 with wired with wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:12
S25	78	\$23 not \$24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:20
S26	227	@ad<"20040414" and (((maintain\$3 continu\$3) near5 session near5 (id identification indicia)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:25
\$27	31	\$26 and (laptop notebook)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:21
S28	24	927 not 924	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:22
S29	6	S28 and ((user subscriber) adj id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:22
S 30	1	@ad<"20040414" and (register\$3 with (notebook laptop) with ((user subscriber) adj id))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:29
S31	9	@ad<"20040414" and ((communicat\$3 connect \$3) with (notebook laptop) with ((user subscriber) adj id))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 17:33
S32	4	S31 and (wired with wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/04/04 17:33

S55	79	@ad<"20031109" and ((switch\$3 with adapter) and ((continu\$3 resum\$3) with (session communication))).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 15:52
S56	3	S55 and (wireless near5 wired)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 15:52
S57	0	(10/794222).APP.	USPAT; USOCR	OR	ON	2008/02/05 14:44
S58	2	("20030151762").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:46
S59	2	("20030140185").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:50
S60	35	CHERRY-DARREL and @ad< "20031109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 14:59
S61	7	S60 and (wired near5 wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 14:51
S62	7	\$61 and (resum\$3 connect \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 14:57
S63	7	S62 and (ID identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 15:13
S64	4	@ad<"20031109" and (((connect\$3 communicat \$3) near2 wired) same (resum\$3 near4 wireless \$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 15:52
S65	4	S64 and (ID identification indicia)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 15:13

S66	1	@ad<"20031109" and (resum\$3 near4 (session communication) near4 (identification indicia) near5 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:03
S67	229	@ad<"20031109" and ((resum\$3 near4 (session communication)) same (wireless\$2 wired))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:25
S68	26	@ad<"20031109" and (((switch\$3 transfer\$4) near5 network) same ((continu\$3 resum\$3) near5 (session communication)) same (identification indicia PIN key identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:53
S69	8	S68 and (wireless\$2 near4 wired)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:42
S71	18	S68 not S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:43
S72	1	@ad<"20031109" and (((switch\$3 transfer\$4) near4 wireless near3 wired) same ((continu\$3 resum\$3) near5 (session communication)) same (identification indicia PIN key identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DEHWENT; IBM_TDB	OR	ON	2008/02/05 16:48
S73	833	@ad< "20031109" and ((continu\$3 resum\$3) near5 (session communication) with (identification indicia PIN key identifier))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 18:02
S74	101	S73 and (wireless\$2 near4 wired)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 18:03
S75	54	\$74 and ((switch\$3 transfer \$4) near4 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 16:56

S76	17	\$75 and ("455"/\$ "370"/\$). cds.	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 18:03
S77	0	(10/502791).APP.	USPAT; USOCR	OR	ON	2008/02/05 17:53
S78	1	09/990875	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:54
S79	38603	@ad< "20031109" and ((session communication) near3 (identification indicia PIN key identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 18:02
S80	2840	S79 and (wireless\$2 near4 wired)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 18:03
S81	721	\$80 and ("455"/\$ "370"/\$).	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 18:03
S82	143	\$81 and ((continu\$3 resum \$3) near3 (session communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 18:05
S83	12	S82 and (between near3 wireless\$2 near3 wired)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 18:05
S84	1	10/600084	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 15:56
S85	802	@ad<"20040414" and "455"/\$.ccls. and (SIP (session adj initiation adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 15:58
S86	2	S85 and (cordless near2 station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/06/16 16:04

S87	0	S85 and (telephone with dock\$3 with speakerphone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 16:06
S88	1	S85 and (telephone with dock\$3 with switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 16:06
S89	103	yuwen.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 16:19
S90	2	S89 and docking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 16:19
S91	4	@ad<"20040414" and "455"/\$.ccls. and (dock\$3 near4 (handset telephone phone) near5 speakerphone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 16:46
S92	1	@ad<"20040414" and (dock\$3 near4 (handset telephone phone) near5 (activat\$3 actuat\$3) near4 speakerphone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 16:54
S93	5	@ad<"20040414" and (dock\$3 near4 (handset telephone phone)) same ((activat\$3 actuat\$3) near4 speakerphone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 17:19
S94	2	@ad<"20040414" and (plug\$4 near4 (handset telephone phone)) same ((activat\$3 actuat\$3) near4 speakerphone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 17:20
S95	17	("5282246" "5325045" "5418386" 5542105" "554227" "558031" "5596567" "5600547" "5706000" 5754962" "5826196") PN. OR ("6236868"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/16 17:41
S96	34	@ad<"20040414" and "455"/\$.ccls. and (speakerphone with (handset telephone phone) with station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 17:44

S97	3	@ad<"20040414" and "455"/\$.cds. and ((speakerphone near2 (actuat\$3 activat\$3 on)) with (handset telephone phone) with station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 17:45
S98	292	S85 and (VOIP (voice near2 IP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 17:48
S99	6	\$98 and ((switch\$3 rerout \$3 re-rout\$3) near4 (indicia ID identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 17:49
S101	3	@ad<"20040414" and "455"/\$.ccls. and (speakerphone with detect \$3 near2 (handset telephone phone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 10:48
S102	10	("3026383" "3872262" "4025728" "4101735" "4237344" "4277647" "5561712" "5636273"). PN. OR ("5943420").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/17 10:50
S103	804	@ad<"20040414" and "455"/\$.ccls. and (SIP (session adj initiation adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 10:52
S104	293	S103 and (VOIP (voice near2 IP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 10:52
S105	10	S104 and (session near2 (identification ID indicia))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 10:52
S107	231	@ad<"20040414" and "455"/\$.ccls. and ((handset telephone phone) near4 wired near4 switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 11:09
S108	34	@ad<"20040414" and "455"/\$.ccls. and ((handset telephone phone) near4 wired near4 switch\$3 near5 station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 11:10

S109	59	@ad< "20040414" and ("455"/\$ "379"/\$).ccls. and ((handset telephone phone) near4 LAN near2 interface)	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 11:16
S110	8	S109 and (VOIP (voice near2 IP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 11:16
S111	1	S103 and (associat\$3 with address with session near2 (identity identification indicia ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 14:49
S112	10	S103 and (address with session near2 (identity identification indicia ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 14:50
S113	10	@ad<"20040414" and "4557'.5.ccls. and ((handset telephone phone) near4 (speaker- phone (speaker adj phone)))) same ((coupl\$3 dock\$3) near3 station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 15:24
S114	1	@ad< "20040414" and "455"/\$.ccls. and ((handset telephone phone) near4 (connect\$3 coupl\$3 dock\$3) near4 wired near2 LAN)	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 15:32
S118	5	@ad< "20040414" and ("455"/\$ "379"/\$).cds. and (VOIP (voice near2 IP)) and (wired with wireless with interface with ethernet)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 15:36
S119	3	@ad<"20040414" and ("455'/\$ "379"\\$), ocls. and (VOIP (voice near2 IP)) and ((disab\\$3 disconnect \\$3 switch\\$3 off) near3 wireless near7 wired near3 (detect\\$3 coup\\$3 connect \\$3 dock\\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17

S120	6	@ad<"20040414" and ("455"/\$ "379"(\$), ocls. and (((enabl\$3 activat\$3 actuat \$3) near2 (speakerphone speaker-phone (speaker adj phone)) near5 (detect \$3 coupl\$3 connect\$3 dock \$3) near2 station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/06/17 15:50
S121	5	@ad<"20040414" and ("455"/\$ "379"/\$).ccls. and (handset with ethernet near2 (port interface))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 15:54
S122	0	S121 and docking	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 16:12
S123	12	@ad<"20040414" and ("455"/\$"379"/\$).cds. and ((handset phone telephone) with ethernet near2 (port interface)) and ((docking cordless) near2 station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 16:13
S124	22	("20010006893" "200200216891" "20020106994" "20020106994" "4972457" "4991197" "5025373" "5428671" "5565226" "5583925" "55894479" "6112103" "6157620" "6157846" "6163692" "6208727" "6281785" "6297660"), PN. OR ("6603965"),URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/17 16:15
S125	0	S124 and ((docking cordless) near2 station)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/17 16:15
S126	22	("20010006893" "20020021690" "2002016994" "4972457" "4991197" "5025373" "5428671" "5477418" "5513184" "5566226" "5583925" "6157620" "6157846" "6153692" "6208727" "6281785" "6298760"). PN. OR ("6603965").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/30 10:59

S127	5	("20020065076" "6021310" "6283775" "6459778" "6603965"). PN. OR ("6909908").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/30 11:06
S128	2	@ad< "20040414" and ("455"/\$ "370"/\$).ccls. and (second adj address) with (second adj connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:40
S129	0	@ad<"20040414" and ("455"/\$ "370"/\$).cds. and disconnect§3 same (second adj2 address) with (room chatroom conference group)	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:44
S130	2	@ad<"20040414" and ("455"/\$ "370"/\$).cds. and disconnect\$3 same (new adj2 address) with (room chatroom conference group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:45
S131	0	@ad<"20040414" and ("455"/\$ "370"/\$).cds. and (new adj2 address) with (room chatroom conference group) with resum\$3	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:46
S132	0	@ad<"20040414" and (new adj2 address) with (room chatroom conference group) with resum\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:46
S133	0	@ad<"20040414" and (another adj2 address) with (room chatroom conference group) with resum\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:46
S134	1749	@ad<"20040414" and (room chatroom conference group) with resum\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:46
S135	48	@ad< "20040414" and (two adj ethernet adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:48
S138	7	S135 and (Failover (fail adjover))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:49

S139	43	@ad<"20040414" and (redundant with wired with wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:51
S140	5	S139 and ((tak\$3 adj over) resum\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:53
S141	34	@ad<"20040414" and (resum\$3 reconnect\$3) with (register\$3 registration) with (router (access adj point) (base adj station))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 17:18
S142	0	@ad<"20040414" and (resum\$3 reconnect\$3) with (register\$3 registration) with (router (access adj point) (base adj station)) with ((different second) adj2 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 17:18
S143	1	@ad<"20040414" and (undock\$3 with switch\$3 with wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 16:57
S144	6	@ad<"20040414" and (switch\$3 with (prior before) with undock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 17:21
S145	479	@ad<"20040414" and ((initiat\$3 register\$3) with (prior before) with (undock \$3 disconnect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 17:25
S146	6	@ad<"20040414" and ((initiat\$3 register\$3) with (prior before) with (undock \$3 disconnect\$3) with ((base adj station)(access adj point)))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 17:25
S147	0	@ad<"20040414" and (signal\$3 near4 undock\$3 near4 (new adj connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/12/16 18:00

S148	0	@ad< "20040414" and (undock\$3 near4 (new adj connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:00
S149	0	@ad< "20040414" and (undock\$3 with initiat\$3 near3 ((another new) adj connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/16 18:01
S150	0	(09/953889). A PP.	USPAT; USOCR	OR	ON	2009/12/16 18:19

12/17/2009 11:59:33 AM

C:\ Documents and Settings\ zlu\ My Documents\ EAST\ Workspaces\ 10824662.wsp